Subject Index to Volume 8 (1991)

(−)-carbovir, bioavailability, 739
(HMG-CoA) reductase, 873
nilino-8-naphthalenesulfonate, fluorescence, 888
amino-8-arginine vasopressin, 471
2-aminothiazole, 1424HPLC, enantiomers ephedrine, 1430
roxypropyl-β-cyclodextrin, 1044, 1495
xypropyl-β-cyclodextrin, protein drugs, 792
ehydro-3′-deoxythymidine (d4T), HPLC, 619
xy-3-methylglutaryl-CoA reductase, 873
oxytryptamine$_3$ (5-HT$_3$) receptor antagonist, stability, 1215
2′deoxyuridine, 5′-ester prodrugs, 771
zolidinones, stability, 313
noquinoline, antimalarial, 1505
ydroimidazolone, 903
^{13}C CP/MAS NMR, 1128
1,6-diphenyl-1,3,5-hexatriene (DPH), fluorescence polarization, 84
3,5-dichlorobenzoic acid, GC-MS, 821
^{113}Cd NMR, 1384
[^{125}I]BSA, edema, 1270
α-amylase, water adsorption isotherms, 191
α-chymotrypsin inactivation, kinetics, 480
α-chymotrypsin, prodrug, 1533
α-tocopherol determination, vitamin E, 763
absorption enhancers, 84
absorption rate, bioequivalence, 25
absorptive clearance, carbamazepine, 1050
accuracy, analytical, 421
ACE angiotensin converting enzyme inhibitor, 370
acetaminophen dissolution, 412
acetaminophen, microdialysis sampling, 389
acetylcholinesterase inhibitors, THA, 200
acyclovir, 1087
acylcarnitines, drug absorption enhancers, 84
acylcarnitines, effect on rat intestinal brush border membrane, 84
adhesion strength, eudragit E films, 1137
adinazolam mesylate, bioavailability, 1482
adinazolam mesylate, first-pass elimination, 162
adinazolam, bioavailability, 156
adinazolam, pharmacokinetics, 162
adinazolam, unbound fraction, 162
adjuvant, aluminum hydroxide, 851
adsorption, charcoal, 228
adsorptive endocytosis, macromolecules, 437
aerosol propellant, drug solubility, 1206
aerosol, content uniformity, 658
aerosols, liposomes, 217
aggregation, human growth hormone, 1360
aggregation, IL-1β, 485
aggregation, peptide, 1258
aging, physical, glasses, 698
alanine aminotransferase, microcystin-LR, 273
albumin microspheres, 185
albumin, fluorescence protein binding, 888
albumin, lactosaminated, 1253
albuterol metered dose inhaler, 658
aldose reductase inhibitor, zopolrestat, 1511
aldose reductase inhibitor, imirestat, 112
alginate/polylysine microcapsules, 341
alkaline phosphatase inhibitor, 1384
alkaline phosphatase, *escherichia coli*, 1384
allopurinol, HPLC, 653
alpha-chymotrypsin, insulin degradation, 925
alprenolol, CDS, 1389
alprenoxime, 1389
aluminum hydroxide, adjuvant, 851
aluminum phosphate, 851
Alzheimer's disease, THA, 200
amine pro-prodrugs, 323
amino acid delivery, transdermal, 1113
aminopeptidase activity, mouse keratinocytes, 70
aminopeptidase activity, mouse skin, 70
aminopeptidase, 93
amiodarone, phlebitis, 801
amoxicillin, oral drug absorption, 979
ampicillin polymer, ^{1}H-NMR spectrometry, 119
ampicillin polymer, circular dichroism (CD), 119
ampicillin polymer, fast atom bombardment (FAB), 119
analgesia, opioids, 196
analgesics, nonaddicting, 1
analysis cyclosporin emulsion, 40
anemic rats, polycythemic, 608
anesthesia, antipyrine metabolism, 544
anti-HIV nucleosides, pharmacokinetics, 247
antiarrhythmic compounds, Arrhenius kinetics, 123
antibiotic, *Saccharomyces boulardii*, 796
anticonvulsant activity, valproate esters, 750
anticonvulsants, prodrug, 690
antiepileptic drugs, therapeutic monitoring, 282
antigen-adjuvant, interactions, 851
antiglaucoma agents, alprenoxime, 1389
antihypertensive drug delivery system, 527
antiinflammatory drug, 1270
antimicrobial activity, drummondin C, 1372
antimitotic agents, combretastatins, 776
antipyrine clearance, liquid chromatography, 269
antipyrine determination, saliva, plasma, 269
antipyrine metabolism, 544
antipyrine, metabolites, pharmacokinetics, 1470
antipyrine, pharmacokinetics, 544, 1470
antiviral activity, aminohydroxyguanidine derivatives, 1006
antiviral, pyrimidine nucleosides, 43
aprotinin in nasal absorption, 1175
aqueous latexes, tablets, 355
aqueous resistance, 298
Arrhenius kinetics, antiarrhythmic compounds, 123
Arrhenius preformulation, 123
Arrhenius study, stability, 570
arteriovenous concentration gradient, 306
arthritic patients, sulfate metabolism, 242
aspirin stability, 661
atomization technique, 341
atropine HI-6, autoinjector, 1191
aucubin, pharmacokinetics, 1059
aucubin, preformulation study, 1059
autoinjector, wet/dry, 1191
autooxidation, IL-1β, 485
azone, penetration enhancer, 933
aztrezonam, interaction with metronidazole, 1424

β-adrenergic blocking agents, 1195
β-cyclodextrin, 9
β-estradiol, dermal metabolism, 865
β-glucuronidase, water adsorption isotherms, 191
Bacillus Calmette Guérin (BCG) vaccine, microcapsules, 341
baclofen, bioavailability, 512
baclofen, blood-brain barrier transport, 259
baclofen, enantiomers, 259
baclofen, stereoselective transport, 259
batch release, dosage form, 1210
bead coating, 331

0724-8741/91/1200-1549$06.50/0 © 1991 Plenum Publishing Corporation

benazeprilate, pharmacodynamics, 883
benazeprilate, pharmacokinetics, 883
benzylpenicillin, chemical delivery system, 1044
beta blockers, ophthalmic, 1166
beta-adrenergic blockers, 1389
bevantolol, HPLC, 758
bevantolol, stereoselective assay, 758
bilayer tablet, gamma scintigraphy, 1335
bile salt binding, cholestyramine, 238
bile salts, critical micelle concentration, 1203
bioanalytical methods, validation, 421
bioavailability subcutaneous, injected insulin, 60
bioavailability, (−)-carbovir, 739
bioavailability, adinazolam, 162
bioavailability, AUC, 512
bioavailability, cyclosporine, 518
bioavailability, flurbiprofen, 605
biodegradable microcapsules, 958
biodegradable microspheres, 713
biodegradable polymer, 1292
bioequivalence, 744
bioequivalence, role of metabolites, 25
bladder wall, mitomycin C, 168
blood brain barrier transport, dynorphin, 815
blood-brain barrier transport, baclofen, 259
blood-brain barrier, 683
blood-brain barrier, peptides, 1345
blood-cerebrospinal fluid (BCSF) barrier, dynorphin, 815
brain delivery, active anti-HIV compounds, 247
brain delivery, anti-HIV nucleosides, 247
brain microdialysis, dynorphin, 815
brain perfusion, 683
Brij 35, EGF, 557
bromelain, inactivation, kinetics, 480
brush border enzymes, enkephalin hydrolysis, 93
brush border membranes, 84
buccal administration, flurbiprofen, 605
buccal mucosa, permselective characteristics, 1199

caboxyfluorescein, liposomes, 217
Caco-2 cell model, glucuronidation, 1441
Caco-2 cells, peptide transport, 1453
Caco-2, transepithelial transport, 210
Caco-2, transport, 222
calcium alginate coating, 576
calcium channel antagonist, nasal absorption, 134
calcium channel antagonist, RS 93522, 134
calcium entry blocker, nanocapsules, 734
calibration, analytical, 421
calorimetry, eudragit, 899
calorimetry, solids, 636
camostat mesilate in nasal absorption, 1175
capillary stability, 1489
carbamazepine tablets, stability, 974
carbamazepine, absorptive clearance, 1050
carbamazepine, intestinal permeability, 491
carbamazepine, partition coefficient, 491
carbamazepine, plasma, urine, 282
carbamazepine, tablets, 393
carbapenum antibiotic, imipenum metabolite, 33
carbaryl hydrolysis, cetyltrimethylammonium bromide, 1155
carbonic anhydrase inhibitor, 608
carbopol gel, 1401, 1408
carbopol, antibiotic absorption, 706
carboxypeptidase, 313
cardiopulmonary bypass, lidocaine, 127
cardiotonics, electroanalytical characteristics, 903
cardiovascular reactivity, isoproterenol, 754
cardiovascular reactivity, propranolol, 754
carrageenin edema, 1270
casein, drug binding, 550
CD4-IgG, pharmacokinetics, 1351
cefadroxil, HPLC, 1525
cefmenoxime, HPLC, 1525
cefprozil, diastereomers, HPLC, 992
cefprozil, pharmacokinetics, 992
cefsulodin, HPLC, 1525
cefuroxime azetil, isomeric mixture, 893
cellulose acetate propionate, theophylline microspheres, 1396
cellulose acetate, coating, 698
central nervous system (CNS)-targeted drug delivery, 1180
cetyltrimethylammonium bromide, carbaryl hydrolysis, 1155
charcoal activated, phenobarbital adsorption, 228
charcoal, lorazepam, 538
chemical delivery system, 690
chemical delivery system, benzylpenicillin, 1044
chiral inversion, ibuprofen, 1186
chloride ion analysis, 615
cholesterol effect of cyclodextrins, rat, 9
cholesterol lowering efficacy, simvastatin, 873
cholesterol-cyclodextrin complex, 9
cholestipol, lorazepam, 538
cholestyramine, bile salt binding, 238
cholestyramine, lorazepam, 538
chronopharmacology, 418
chymotrypsin, insulin degradation, 721
ciliary activity, 807
ciliary movement, nasal absorption, 588
circular dichroism, 1103
circular dichroism, ampicillin, 119
cisplatin, 1292
clarithromycin, 706
clarithromycin, cleaning validation, 989
clarithromycin, electrochemical detection, 989
clarithromycin, HPLC, EC, 989
clearance peptides, 1477
clearance, apparent systemic, 306
clindamycin phosphate, stability, 570
clinical pharmacokinetics, 962
clopenthixol *cis*(Z), *trans*(E), 462
coated spheres, 331
coating level effect, 331
coating osmotic tablets, 600
coating technique, self-correcting, 576
coating, controlled release, 698
cohesion parameter, solids, 636
colloidal polymer dispersions, 355
colon permeation, 1365
colon-specific drug delivery, dexamethasone, 445
combretastatins, antimitotic, 776
Combretum caffrum, antimitotic, 776
compatibility ditekiren, plasma, 80
compatibility, eudragit E films, 1137
competitive binding, cholestyramine, 238
complements C3 and C5 phagocytosis, 65
compressible diluents, 336
compression properties, 336
computer-aided dosage form design, 232
concentration-depth profiles, tissues, 168
conjunctival penetration, beta blockers, 1166
conjunctival penetration, timolol, 728
container materials, solutes, 782
content uniformity, metered dose inhaler, 658
controlled drug delivery system, 913
controlled drug release, potassium chloride, 355
controlled release, tablet coating, 576
corneal penetration, beta blockers, 1166
corneal penetration, timolol, 728
corneal permeability, pilocarpine, 1539
cosolvency, 502
cotinine, pharmacokinetics, 385
cream preparation, steroid stability, 547
creams, in vitro release, 55
creatinine clearance, 242
creatinine clearance, 1318
creep compliance, films, 1500

critical micelle concentration, mefenamic acid, 1203
Croton sonderianus, 1243
cryopreservation, liposomes, 1021
crystal growth, aerosols, 1206
crystal growth, theophylline capsules, 643
crystal lattice interactions, taxol side-chain, 908
crystal structure, taxol side-chain, 908
cyclodextrin sulfates, 1151
cyclodextrin, drug binding, 380
cyclodextrins complex, 380
cyclodextrins, 1307
cyclodextrins, nasal, insulin, 588
cyclodextrins, *S*-nitrosothiol, 1329
cyclodextrins, solution calorimetry, 951
cyclosporin A, HPLC, 40
cyclosporine, analysis, 278
cyclosporine, blood concentration, 278
cyclosporine, tablet dosage form, 518
cyclosporine, pharmacokinetics, dogs, 518
cycodextrin, stabilization, 1329
cytotoxicity, combretastatin, 776

danazol, bioavailability, 512
darodipine, nanocapsules, 734
deamidation, IL-1β, 485
degradation SC-36602, 123
delta opioid peptides, 1
denaturation, IL-1β, 485
deoxycholate, epithelial transport, 498
desolvation energy, peptide absorption, 1477
detirelix, 1258
dexamethasone solubility, 502
dexamethasone, 2-hydroxypropyl-β-cyclodextrin, 1495
dexamethasone, colonic specific delivery, 445
dexamethasone-β-D-glucoside, prodrug, 445
dexamethasone solubility, 1495
dextran, polyaldehyde, 400
dextrose-based directly compressible diluents, 336
diabetes, zopolrestat, 1511
diabetic rats, 563
diadamantoate, stability, 1418
diastereomer hydolysis kinetics, cefuroxime, 893
diastereomeric derivatives, bevantolol, 758
diazepam, BBB, 683
diazepam, phlebitis, 1341
diclofenac, tablets, 919
diclofenac, sodium, 919
differential scanning calorimetry, polymorphism, micropellets, 178
diffusion cell, 55
diffusion coefficient, 1489
diffusion enhancer, ethanol, 865
diffusion in permeability, 298
diffusional matrix, drug distribution, 156
diffusive permeability, 1365
diffusivity, 1461
digitonin, EGF binding, 557
diltiazem hydrochloride, solubility modulated osmotic pump, 88
dimethylisosorbide, steroid solubility, 502
dinorphine-like analgesic peptide E-2078, in vivo transport, 815
dipeptide analogues, transporter, 593
diphenyl-methyl derivatives, 951
diphenylmethyl derivatives, cyclodextrins, 1307
diphteria toxoid, delivery, 958
diphtheria toxoid, microcapsules, 958
disease, kinetics of drug action, 415
dissolution rate, carbamazepine tablets, 974
dissolution rate, steroids, 1461
dissolution solids, 636
ditekiren, renin inhibitor, 80
ditekiren, in vitro evaluation, 475
ditekiren, intravascular precipitation, 80
ditekiren, plasma compatibility, 475
DL-lactide-ε-caprolactone copolymer, synthesis, 1292
dodecyl *N,N*-dimethylamino acetate, penetration enhancer, 933
dose-dependent pharmacokinetics imirestat, 112
dose-effect curve, methionine enkephalin, 930
drug delivery, nasal, 807
drug dissolution, 1489
drug targeting, anticonvulsants, 690
drug targeting, low molecular weight protein (LMWP), 1223
drug targeting, photodynamic, 1027
drug therapy, peptides, 1345
drummondin C, biological evaluation, 1372
drummondin C, synthesis, 1372

electric charge, 437
electrochemical detection, allopurinol, 653
electrophoresis, 913
electrostatic potentials, thioxanthenes, 462
emulsion cyclosporin A, 40
enantiomer selection, 1444
enantiomeric separation, ephedrine, 1430
enantiomers, baclofen, 259
enantiomers, fluoxetine, 1528
encapsulation, theophylline microspheres, 1396
endogenous opioids, 1
endopeptidase, 93
enkephalins, 1
enoximone, electroanalytical, 903
ent-Beyer-15-en-18-oic acid, characterization, 1243
enteric coating, diclofenac, 919
enterohepatic recirculation, glucuronides, 538
enthalpy of mixing, solids, 636
enzymatic lability, timolol, 728
enzyme inactivation, kinetics, 480
enzyme inhibitors, 93
enzyme stability, 713
ephedrine, HPLC, 1430
ephedrine, interaction energy, 1128
epidermal growth factor receptor, 557
epidermis mouse, 70
epithelial transport, Caco-2 cell, 210
epitiostanol, lymphatic partition rate, 1302
erbium-171, neutron activation, 1335
erythromycin acistrate, bioavailability, 1056
erythromycin, 706
esterase activity, prodrug, 370
esterase, prodrugs, 455
esteric prodrugs, valproate, 750
esterified hydroxy amide, 455
estradiol distribution, brain, 1180
estradiol, chemical delivery system, 1180
estradiol, skin transport, 938
estrogen receptors, binding of fluorotamoxifen, 174
ethanol, human skin transport, 938
ethyl cellulose coating, 600
ethylcellulose beads, 331
eudragit E films, mechanical properties, 1137
eudragit RS100 and RL100, quantification, 899
eudragit, calorimetry, 899
eudragit, controlled release, 899
euphorbiaceae, 1243
european community, pharmaceutical marketing, 804

fast atom bombardment (FAB), ampicillin, 119
fatty acids, suppositories, 945
fecal recovery, saccharomyces, 796
fentanyl, 196
fibrolase, stability, 1103
filicinic acid, 1372
films, mechanical property, 1500
first-pass bioactivation, 370
first-pass metabolism, 306
flavonoid, hepato protection, 273
fluid bed coating, 156
fluorescence polarization, DPH, 84
fluorotamoxifen analogues, synthesis, 174
fluorotamoxifen, cytosol estrogen receptors, 174

fluoxetine, enantiomers, 1528
fluoxetine, HPLC, 1528
flupenthixol *cis*(Z), *trans*(E), 462
flurbiprofen, 380
flurbiprofen, bioavailability, 605
flux enhancement, 365
footpad edema, 1270
formulation, aerosol, 629
formyl content determination, 400
Fourier transform infrared spectroscopy (FT-IR), oleic acid, 350
Fourier transform IR (FTIR), 663
fourier transform-Raman spectroscopy, eudragit RS, 1323
freeze-drying, hGH, 427
freeze-drying, protein, 285
freeze-thawing, protein, 285

gabexate, ointment, 60
gamma scintigraphy, 360
gamma scintigraphy, tablets, 1335
ganciclovir, chemical degradation, 1418
ganciclovir, enzymatic degradation, 1414
ganciclovir prodrugs, 1418
gas chromatographic analysis, vitamin E, 763
gastric and intestinal IMMC, 97
gastric emptying, 97
gastric emptying, nondisintegrating tablets, 1281
gastric residence time, 97
gastrointestinal kinetics, 796
gastrointestinal transit, 360
gel formulation, 1401
gelatin coated tablets, 412
gels Tetronic 1508, 345
glomerular filtration rate (GFR), 1318
glucuronide conjugation, p-nitrophenol, 1441
glyceryl dinitrate, metabolism, rat, 877
glyceryl dinitrates, percutaneous penetration, 1231
glycine conjugate of 3,5-dichlorobenzoic acid, GC-MS, 821
gonadotropin suppression, leuprolide, 584
graduate study enrollment, 676
graft rejection, renal, 278
growth hormone, cyclodextrins, 792
growth hormone, human, freeze-dried, 427
growth hormone, pharmacokinetics, 1351
growth kinetics, theophylline capsules, 643
guaifenesin, controlled release, 576

hairless mouse skin, 365, 865
half tablets, adinazolam mesylate, 1482
haloperidol reduced, synthesis, enantiomers, 1002
heat of displacement, charcoal, 228
Heidelberg capsule, 97
Heidelberg capsule, theophylline, 1516
hemodilution, lidocaine plasma protein binding, 127
hepatic blood flow, thermal injury, 106
hepatic clearance, 306
hepatic clearance, insulin, 563
hepatic disposition, macromolecules, 437
hepatic extraction ratio, adinazolam, 162
hepatitis, antipyrine clearance, 269
hepatocyte uptake, 1253
hepatocytes, primary culture, 656
hepatotoxicity, PCMX, 656
hepatotoxin, microcystin-LR, 273
HI-6, atropine, 1191
HIV-1, antivirals, 1006
HIV-1, pyrimidine nucleosides antiviral activity, 43
horseradish peroxidase, transport, 498
HPLC, fluoxetine, 1528
HPLC, 2′3′-didehydro-3′-deoxythymidine (d4T), 619
HPLC, bevantolol, 758
HPLC, cefprozil diastereomers, 992
HPLC, cyclosporin emulsion, 40
HPLC, derivatization, 1528
HPLC, EC, clarithromycin, 989
HPLC, erythromycin, 1056
HPLC, imipenem metabolite, 33
HPLC, lobenzarit, 523
HPLC, reduced haloperidol, 1002
HPLC, retinoids peroxides, 826
HPLC, rifabutin, metabolite, 1434
HPLC, sotalol, stereospecific, 1195
HPLC, steroids, 547
HPLC/EC, allopurinol, 653
human growth hormone (hGH) freeze-dried, 427
human growth hormone, freezing, 1360
humidity, pancreatin, 412
humidity, solid dosage forms, 292
hyaluronate-Na, 471
hybrid pharmacokinetic models, 247
hydration, nitrofurantoin, 1066
hydration, skin, 1064
hydrocolloid, molecular motion, 505
hydrocortisone 17-butyrate, HPLC, 547
hydrocortisone 17-butyrate, stability, 547
hydrocortisone 17-butyrate, topical cream, 547
hydrocortisone in vitro release, creams, 55
hydrophobic effect, 840
hydrophobic interaction, 285
hydrophobic LHRH, 1258
hydroxy amide, prodrugs, 323
hydroxyaminoguanidines, 1006
hydroxylamine titration, 400
hydroxypropyl methylcellulose phtalate, coating, 706
hydroxypropyl-β-cyclodextrin, 9, 380
hydroxypropylcyclodextrin, polydisperse mixtures, 1151
HyperCard, receptor screening, 141
hypertension, darodipine, 734

ibuprofen enantiomers, 1186
ibuprofen enantiomers, renal metabolism, 1520
ibuprofen, microspheres, 1377
ibutilide, shelf life, 1444
ibutilide, stability, 1444
icebergs, hydrophobic group associated, 661
ICI-174,864 delta opioid antagonist, 196
imipenem, metabolite, HPLC, 33
imirestat, tissue binding, 112
imirestat, pharmacokinetics, 112
in situ perfusion, 1050
inclusion complex, 951
indicator dilution, brain perfusion, 683
indigestible solid capsule, 97
indocyanine green, hepatic blood flow, 106
indomethacin, jejunal absorption, 101
indomethacin nanocapsules, pharmacokinetics, 101
indomethacin polymeric nanocapsules, 101
INEPT NMR, valepotriates, 1094
inflammatory bowel disease, 445
infrared (IR) spectroscopy, FT, 663
infrared spectroscopy, solid pharmaceuticals, 963
inhalation aerosols 629, 1206
insulin degradation, alpha-chymotrypsin, 925
insulin dimer and hexamer, 925
insulin pharmacokinetics, 563
insulin receptor, up-regulation, 563
insulin subcutaneous administration, 60
insulin, cyclodextrin, 792
insulin, nasal absorption, 1342
insulin, nasal administration, 588
insulin, peptidase degradation, 721
interaction energy, ephedrine stereomers, 1128
interfacial reaction, 576
interleukin 1β (IL-1β), stability, 485
interleukin-2, cyclodextrin, 792
internal rate of return, graduate study, 676
interspecies scaling, proteins, 1351
intestinal absorption, single pass perfusion, 298
intestinal microfloral mediated drug hydrolysis, 445

intestinal peptide transporter, 593
intestinal permeability, Caco-2 transport, 222
intestinal permeability, carbamazepine, 491
intracellular infections, liposomes, 1079
intracellular infections, nanoparticles, 1079
intracellular targeting of antibiotics, 1079
intravascular precipitation, ditekiren, 80
intravenous infusion, 254
ion chromatography, Na^+, Cl^-, 615
iontophoresis, amino acids, 1113
iontophoresis, pulsed current, 365
iontophoresis, tripeptides, 1121
iridoid glucoside, 1059
isodesmic, model, nicotinamide, 1144
isolated perfused kidney, ibuprofen metabolism, 1520
isomazole, metabolism, 1413
isomazole, pharmacokinetics, 1413
isoproterenol, cardiovascular reactivity, 754

jejunal absorption, indomethacin, 101

kallikrein, 480
keratinocytes mouse, 70
kinetics, enzyme inactivation, 480
KS1/4-DAVLB stability, 1264

lactate dehydrogenase, microcystin-LR, 273
lactonization, prodrugs, 323, 455
lactosaminated bovine serum albumin, 1253
laminar tube flow, 298
Langmuir model, charcoal adsorption, 228
laser Doppler velocimetry, 204
latex coating, 600
lauroyl derivative TRH, 649
lecithin aerosol, 629
Leu-enkephalin metabolism mouse skin, 70
Leu-enkephalin metabolism, mouse keratinocytes, 70
Leu-enkephalin, peptides absorption, hydrolysis, 93
leukotriene D_4 receptor antagonist, 148
leuprolide acetate, microspheres, 584
leuprolide, once a month injectable microspheres, 787
leuprolide, pharmacokinetics, 787
lidocaine conformation, 1013
lidocaine, (IR), 1013
lidocaine, (NMR), 1013
lidocaine, plasma protein binding, 127
linear pharmacokinetics, 25
lipase compacts, 131
lipase, release from compacts, 131
lipase, water adsorption isotherms, 191
lipid micropellets, 47
lipid phase transport mechanism, 350
lipid-protein partitioning theory, 17
lipophilic peptide, 649
lipophilicity TRH, 649
lipophilicity, acyclovir prodrugs, 1087
lipophilicity, intestinal absorption, 1050
liposome dispersion, thermal behavior, 1021
liposome phagocytsis, 65
liposomes, cryopreservation, 1021
liposomes, nanoparticles, 1079
liposomes, nebulization, 217
lithium carbonate, X-ray diffractometry, 393
liver function, antipyrine clearance, 269
liver targeting, 1253
lobenzarit, 2-[(-carboxyphenyl)amino]-4-chlorobenzoic acid, 523
lobenzarit, HPLC, dog, 523
lorazepam glucuronide, binding to cholestyramine, 538
lotions, in vitro release, 55
luteinizing hormone releasing hormone, 1258
LY277359 maleate, photoreactivity, 1215
lymphatic partition rate, epitostanol, 1302
lymphatic partition rate, mepitiostane, 1302
lymphatic partition rate, oleic acid, 1302
lymphotropic drug carrier, 1286
lyoprotectants, 427
lysosomes, 1223
lysosomes, targeting, 1079

macrolides, 706
macromolecules charge, 437
macroscopic mass balance analysis, amoxicillin absorption, 979
macrospheres, mitomycin C, 185
Madin-Darby canine kidney (MDCK) cells, 498
malarial antigens, adsorptive behavior, 851
mannitol, liposomes, 1021
manometry recording, 97
manpower, pharmaceutical scientists, 676
mass spectra, ampicillin, 119
matrix sustained release, adinazolam mesylate, 1482
MD-805, 1292
MDL 72,222, GC-MS method, 821
MDL 72,222-N-oxide, 821
mean residence time, 254
mechanical properties, eudragit E films, 1137
mechanical relaxation, coating, 698
mefenamic acid, solubility, 1203
membrane coating, 576
membrane lipid order, 84
mepitiostane, lyphatic partition rate, 1302
mesomorphic phase, L660,711, 148
metabolism inhibitor, 865
metabolite, bioequivalence, 25
metalloprotein, fibrolase, 1103
metered dose inhaler, content uniformity, 658
metered-dose inhaler, 1206
methionine enkephalin, pharmacodynamics, 930
methylparaben, solubility, 840
metronidazole, interaction with 2-aminothiazole, 1424
micellar solubilization, aerosol, 629
micelle, cetyltrimethylammonium bromide, 1155
microcapsules BCG, 341
microcapsules, alginate-polylysine, 341
microcapsules, diclofenac, 919
microcapsules, diphteria toxoid, 958
microcystin-LR-induced hepatotoxicity, 273
microdialysis sampling, pharmacokinetics, 389
micropellets lipids, 47
microspheres leuprolide acetate, 787
microspheres, ibuprofen-wax, 1377
microspheres, leuprolide, 584
microspheres, mitomycin C, 185
microspheres, polymeric, 1323
microspheres, protein delivery, 713
microspheres, theophylline, 1396
mitomycin C, bladder wall, dog, 168
mitomycin C, in vitro release, 185
mitroglycerin, percutaneous penetration, 1231
mixed micelles, lymphotropics, 1286
mixing tank model, amoxicillin absorption, 979
MK-417, pharmacokinetics, 608
mobile order, 840
model macromolecule, 437
moisture content, 336
moisture effects, carbamazine tablets, 974
moisture sensitive, drug, 292
moisture, lipase compacts, 131
molecular dynamics, thioxanthenes, 462
molecular mechanics, thioxanthenes, 462
molecular modeling, cyclodextrins, 1307
molecular motion, hydrocolloids, 505
moment analysis, BBB, 683
monoclonal antibody-drug conjugate, stability, 1264
monoglycerides, suppositories, 945
mucoadhesive gel, 1401
mucoadhesive sustained-release gels, 1408
mucoadhesive, polymer, 1039
mucociliary clearance, nasal drug delivery, 807
mydriasis, methionine enkephalin, 930

N-α-hydroxyalkylation, stability, 313
N-acetylation, sulfamethazine, 1069
N-acetylsulfamethazine, 1069
N-acyloxymethyl derivatives, hydrolysis kinetics, 1238
N-desmethyl-MDL 72,222, GC-MS, 821
N-desmethyladinazolam, pharmacokinetics, 162
N-isopropylacrylamide, 531, 624
nafamostat, ointment, 60
nafarelin, 1258
naloxone, 196
nanocapsules, indomethacin, 101
nanocapsules, polymeric, 101
naphthalocyanines nanocapsules, 1027
naproxen cyclodextrin complex, 380
naproxen, 1223
naproxen, effect on sulfate metabolism, 242
naproxen-lysozyme, conjugate, 1223
nasal absorption, proteolytic enzyme, 1175
nasal absorption, vasopressin, 471
nasal administration, insulin, 588
nasal delivery, calcium channel antagonist, 134
nasal drug delivery, mucociliary clearance, 807
nebulizers, 217
neocel-to-flo-starch ratio, sodium diclofenac, 919
nephrotoxicity, β-cyclodextrin, 9
neural computing, 1248
neurotoxicity theophylline, 415
neutral solute flux, skin, 365
neutron activation, samarium-153, 1335
nicotinamide, self-association, 1144
nicotinate esters absorption, ultrasound, 204
nicotinate esters, hydrolysis, rat liver, brain fractions, 832
nicotinate esters, structure metabolism relationships, 832
nicotine, pharmacokinetics, 385
nicotine, transdermal delivery, 385
nitrofurantoin anhydrate, 1066
nitrofurantoin, kinetic analysis, 1066
nitrofurantoin, monohydrate, 1066
nitroglycerin clearance, 877
nitroglycerin, metabolites, 744
nitroglycerin, transdermal delivery, 744
NMR, ampicillin, 119
NMR, lidocaine, 1013
NMR, retinoids peroxides, 826
nondisintegrating tablets, gastric emptying, 1281
nonelectrolyte permeation, 1365
nonisothermal kinetics, stability, 570
nonoxynol-9, HPLC, 403, 409
nonsteroidal antiinflammatory drugs, effect on sulfate, 242
nuclear magnetic resonance, solid pharmaceuticals, 963
nuclear Overhauser effect, vitamin E, 763

ocular absorption, dexamethasone, 1495
ocular drug delivery, 1039
ocular retention, drug delivery, 1039
ocular toxicology, 418
oil, vegetable, vitamin E, 763
ointments, in vitro release, 55
oleic acid, lymphatic partition rate, 1302
oleic acid, penetration enhancer, 350
ophthalmic formulation, beta blockers, 1166
opioid peptides, 93
opioid peptides, BBB, 1345
opioid peptides, delta selective, 1
opioid receptors, respiratory depression, 196
opsonin C3, C5, 65
oral absorption of peptides, 93
oral drug absorption, amoxicillin, 979
oral mucosal drug absorption, 1297
osmometry, nicotinamide, 1144
osmotic pump, 88
osmotic pump, latex coating, 600
osmotic pump, simvastatin, 873
oxazepam, bioavailability, 512
oxypurinol, HPLC, 653
oxytocin, intestinal passage, 1274

P-450 activities, antipyrine clearance, 269
p-chloro-m-xylenol (PCMX), 656
p-nitrophenol, glucuronide conjugation, 1441
palytoxin, effect on trachea, 859
palytoxin, guinea pig, 859
palytoxin, smooth muscle contraction, 859
pancreatin, effect on gelatin-coated tablets, 412
paracellular pathway, colon, 1365
paracellular transport, 210
parenterals phlebitis, 76, 801
partition coefficient, container material, 782
pellet dosage form, 156
penetration enhancement terpenes, 17
peptidase, insulin degradation, 721
peptidases metabolism, 70
peptide absorption, 313
peptide delivery, 649
peptide delivery, transdermal, 1121
peptide drugs, opioids, 1
peptide stability, 1258
peptide structure, transport, 1453
peptide transport, 593, 1453
peptides prodrugs, derivatives, 1533
peptides delivery central nervous system, 1345
peptides, intestinal absorption, 1477
peptides, oral absorption, 93
peptides, prodrugs, 313, 1238, 1533
percutaneous absorption, nicotinate esters, 204
percutaneous absorption, terpenes, 17
percutaneous penetration absorption, workshop, 1071
percutaneous penetration enhancement, 1113, 1121
percutaneous penetration glyceryl dinitrates, 1231
percutaneous penetration, glyceryl trinitrate, 1231
percutaneous penetration, nitroglycerin, 1231
percutaneous permeability, 933
perfused liver, macromolecules, 437
periodontal disease, flurbiprofen, 605
permeability, films, 1500
permeability, intestinal, 298
permeability, oral mucosa, 1297
permeability, peptides, Caco-2, 1453
permeant enhancer flux relationship, 938
permselectivity, buccal mucosa, 1199
phagocytosis of liposomes, 65
pharmaceutical dosage form, gastrointestinal transit, 360
pharmaceutical marketing, european community, 804
pharmaceutical product development, neural computing, 1248
pharmaceutical scientists, manpower, 676
pharmacodynamics, benazeprilate, 883
pharmacodynamics, methionine enkephalin, 930
pharmacodynamics, mydriasis, 930
pharmacodynamics, prednisolone phosphate, 263
pharmacokinetics d4T, 619
pharmacokinetic models, anti-HIV nucleosides, 247
pharmacokinetics, aucubin, 1059
pharmacokinetic-pharmacodynamic model, 8-aminoquinoline, 1505
pharmacokinetics, 389
pharmacokinetics, anesthesia, 544
pharmacokinetics, antimalarial (WR 238605), 1505
pharmacokinetics, antipyrine, 1470
pharmacokinetics, benazeprilate, 883
pharmacokinetics, cefprozil, 992
pharmacokinetics, cotinine, 385
pharmacokinetics, cyclosporine, 518
pharmacokinetics, isomazole, 1413
pharmacokinetics, leuprolide, 787
pharmacokinetics, metabolites, bioequivalence, 25
pharmacokinetics, methylprednisolone phosphate, 263
pharmacokinetics, MK-417, 608
pharmacokinetics, nicotine, 385
pharmacokinetics, phenytoin, 232

pharmacokinetics, potassium chloride, 1313
pharmacokinetics, relaxin, 1032
pharmacokinetics, sotalol, stereoselective, 1195
pharmacokinetics, sulfamethazine, 1069
pharmacokinetics, theophylline, 1516
pharmacokinetics, valproate, 750
pharmacokinetics, zopolrestat, 1511
phase transition, theophylline capsules, 643
phase transitions, crystalline L-660,711, 148
phenobarbital adsorption, activated charcoal, 228
phenytoin, phlebitis, 1341
phenytoin, prolonged release dosage form, 232
phlebitis detection, thermography, 76
phlebitis, amiodarine, 801
phlebitis, diazepam, 1341
phonophoresis, 204
photodynamic therapy, 1027
photooxygenation, retinoic acid, 826
photoreactivity, LY277359 maleate, 1215
phthalocyanines, nanocapsules, 1027
physical aging, films, 1500
physical characterization, solid pharmaceuticals, 963
pilocarpine, corneal permeability, 1539
pilocarpine, drug delivery, 1039
piroximone, electroanalytical, 903
plasma binding, 1-anilino-8-naphthalenesulfonate, 888
plasma concentration-time curve (AUC), 512
plasticizers, eudragit E films, 1137
poly(lactic/glycolic acid), 713
poly-N^5-(3-hydroxypropyl-L-glutamine), 527
poly92-hydroxyethyl methacrylate films, 913
polyacrylic acid, viscometric study, 1408
polycythemic, anemic rats, 608
polyethylene glycol, dimethyl isosorbide cosolvency, 502
polyethylene glycol, suppositories, 945
polymer gel rheology, 1408
polymer network, interpenetrating, 531
polymer networks, thermocontrolled, 624
polymer, prodrug, 527
polymeric container materials, 782
polymeric nanospheres, 1027
polymers mucoadhesive, ocular delivery, 1039
polymorphism and crystallization of fats, 178
polyolefin laminate polymer, containers, 782
polytetramethylene ether glycol, polymers, 624
polyvinylpyrrolidone, 403
pore pathway, colon, 1365
pore-forming agent, latex coating, 355
potassium chloride tablets, bioavailability, 1313
potassium chloride, pharmacokinetics, 1313
potentiometric titration, 888
powder X-ray diffraction, solid pharmaceuticals, 963
powder X-ray diffractometry, 393
prazosin, polymeric prodrug, 527
precision, analytical, 421
prednisolone phosphate, pharmacodynamics, 263
prednisolone phosphate, pharmacokinetics, 263
prednisolone solubility, 502
preformulation, Arrhenius, 123
pressure, lipase compacts, 131
pressurized inhalation aerosols, 629
pro-prodrugs, esterase sensitive, 455
probenecid sulfate, renal clearance, 376
probenecid, 1318
prodrug, erythromycin acistrate, 1056
prodrug, polymeric, 527
prodrugs, bispilocarpic acid ester, 1539
prodrugs, 5-iodo-2′-deoxyuridine, 771
prodrugs, acyclovir, 1087
prodrugs, amine, 455
prodrugs, peptides, 313, 1238
prodrugs, peptides, 1533
prodrugs, timolol, 728
prolonged release dosage form, phenytoin, 232
propranolol hydrochloride, electrophoresis, 913
propranolol, BBB, 683
propranolol, cardiovascular reactivity, 754
propylene glycol, dimethylisosorbide cosolvency, 502
protamine, lidocaine plasma protein binding, 127
protease inhibitor nafamostat, ointment, 60
protein binding, naproxen, 380
protein delivery system, 713
protein formulation, 427
protein purification, 962
protein solubilization, cyclodextrins, 792
protein stability, 285, 485
protein stability, cyclodextrins, 792
protein stability, fibrolase, 1103
protein, freeze-drying, 285
protein, freeze-thawing, 285
protein, relaxin, 1032
protein, release from compacts, 131
protein, water adsorption isotherms, 191
protein-solvent interaction, 285
proteins, pharmacokinetics, 1351
proteolytic degradation, alpha-chymotrypsin, 925
proteolytic enzyme, nasal absorption vasopressin, 1175
proteolytic enzymes, 313
pulmonary clearance, 306
pulsed iontophoresis, 365
pyrimidines nucleosides, HIV-1 antiviral, 43

QSAR pyrimidine nucleosides, 43
QSAR, combretastatin, 776
QSAR, cytotoxicities aminohydroguanidine derivatives, 1006
quality control, 421
quantitative biophysical model, 865

racemization, ibutilide, 1444
racial differences, isoproterenol effects, 754
radionucleosides, gastrointestinal transit, 360
radiotelemetry technique, 97
radiotelemetry, 1281
ranitidine, theophylline interaction, 1516
rCD4, pharmacokinetics, 1351
receptor down regulation, EGF, 557
receptor mediated endocytosis, 1253
receptor screening, new drugs, 141
receptor up-regulation, insulin, 563
receptor, EGF, 557
redox potential, prodrugs amines, 323
relaxin, mass spectrometry, 1032
relaxin, metabolism, 1032
relaxin, pharmacokinetics, 1032, 1351
release kinetics, 331
release limits, 1210
release mechanism, 331
release rate, lipase compacts, 131
renal clearance, probenecid, 376
renal clearance, sulfate, 242
renal drug targeting, low molecular weight protein, 1223
renal function, endogenous creatinine, 1318
renal graft rejection, acute, 278
renal metabolism, ibuprofen enantiomers, 1520
renal secretion, d4T, 619
renin inhibitor peptide, ditekirin, 475
renin inhibitor, ditekiren, 80
residue on surfaces, 989, 1525
resistance, electrical, skin, 365
respiration, opioid effect, 196
retinoids, triplet-sensitized photooxygenation, 826
rifabutin, metabolite, HPLC, 1434
rotational correlation, 505
RS-93522, nasal delivery, 134
RX-8008M delta opioid antagonist, 196

S(+)-1-(1-naphthyl)-ethyl isocyanate, precolumn derivatization, 1430
S-nitrosothiol, vasoactive, 1329

Saccharomyces boulardii, antibiotic, 796
Saccharomyces boulardii, g.i. kinetics, 796
salicylic acid, permeability, oral mucosa, 1297
samarium-153, neutron activation, 1335
saturable binding, MK-417, 608
SC-36602 stability, 123
scanning electron microscopy, lipid micropellets, 47
scanning electron microscopy, polymorphism, lipid micropellets, 178
screening, receptor ligands, 141
self-association, nicotinamide, 1144
sequential simplex optimization, 570
shelf life prediction, aspirin, 661
silymarin, 273
simvastatin, efficacy, 873
site specific chemical delivery systems, 1389
skin hydration, lipid organization, 1064
skin penetration enhancer, terpenes, 17
skin transport, estradiol, ethanol, 938
skin, iontophoresis, 365
sodium ion analysis, 615
sodium taurocholate, steroid dissolution, 1451
solid dosage forms, moisture uptake, 292
solid pharmaceuticals, physical characterization, 963
solid phase extraction, allopurinol, 653
solid state, tobramycin, 1159
solid-state transitions, crystalline L-660,711, 148
solubility 5-iodo2'-deoxyuridine, 771
solubility modulation, 88
solubility, acyclovir prodrugs, 1087
solubility, dexamethasone, 1495
solubility, methylparaben, 840
solubility, steroids, 1461
solubilization, nonoxynol-9, 403
solution calorimetry, cyclodextrins, 951
solution conformation, lidocaine, 1013
solution stability KS1/4-DAVLB, 1264
solution thermodynamics, 840
somatosensory-evoked potential (SEP), opioid effect, 196
sotalol, stereospecific, HPLC, 1195
soy protein, water adsorption isotherms, 191
soybean trypsin inhibitor, nasal absorption, 1175
spermatozoa, nonoxynol-9, 403
spermicide nonoxynol-9, 403
spin lattice relaxation, 763
spin-labeled dexamethasone, 505
Sprague-Dawley rats, 739
spray-congealing, effect in polymorphism, crystallization, 178
spray-congealing, lipid micropellets, 47
spray-drying, effect on polymorphism, crystallization, 178
spray-drying, lipid micropellets, 47
stability constants, solubility, 840
stability hydrocortisone 17-butyrate, 547
stability of proteins, 427
stability prediction, 570
stability SC-36602, 123
stability, cefuroxime, 893
stability, ibutilide, 1444
stability, IL-1β, 485
stability, nitrofurantoin, 1066
stability, peptides, 1258
stability, protein, cyclodextrins, 792
stabilization, benzylpenicillin, 1044
steroid carriers, micropellets, 47
steroidogenesis inhibition, 584
steroids, Caco-2 transport, 222
stiripentol, prodrug, 690
stratum corneum lipids, FT-IR, 350
stratum corneum, drug absorption, 1297
stratum corneum, lipid organization, 1064
streptozotocin, diabetic rate, 563
structure data base, 141
structure metabolism relationships, ester hydrolysis, 832
structure metabolism relationships, nicotinate esters, 832
sucrose transport, 498
sulfamethazine, *N*-acetylation, 1069
sulfasalazine microspheres, 1323
sulfate homeostasis, 242, 376
sulfate probenecid, 376
sulindac, effect on sulfate metabolism, 242
suppositories, effect on rectum, 945
surface activity, water, 148
surface deswelling, 531
surfactant aerosol, 629
sustained drug release, copolymers, 1292
sustained release dosage form, eudragit, 899
sustained release tablets, potassium chloride, 1313
sustained release, diffusional matrix, 156
sustained-release, ibuprofen, 1377
sustained release, phenytoin, 232
systemic inversion, ibuprofen enantiomers, 1186

tablet coating, 576, 600
tablet coating, aqueous latex, 355
tablets, adinazolam mesylate, 1482
tamoxifen, fluorinated, 174
taste coverage, antibiotics, 706
taxol side-chain, 908
teicoplanin lyophilized vials, 615
terpenes, skin penetration enhancers, 17
tetrahydroaminoacridine binding sites, rat brain, 200
Tetronic 1508, rheologic properties, 345
theophylline microspheres, 1396
theophylline monohydrate, 643
theophylline neurotoxicity, 415
theophylline, pharmacokinetics, 1516
theophylline, ranitidine interaction, 1516
therapeutic cyclosporin monitoring, 278
therapeutic drug monitoring, carbamazepine, 282
thermal analysis, solid pharmaceuticals, 963
thermal gelation, Tetronic 1508, 345
thermal gelling polymers, 345
thermal injury, hepatic blood flow, 106
thermocontrol, on-off release, 624
thermocouple, phlebitis, 801
thermodynamic activity, carbamazepine, 491
thermodynamics, mobile disorder, 840
thermography, phlebitis detection, 76
thermophlebitis, amiodarone, 801
thermosensitivity, hydrogels, 531, 624
thieamycin formamidine, 33
thioxanthenes, *cis*(Z) *trans*(E)-isomers, 462
thrombophlebitis detection, thermography, 76
thromboxane, 101
thyrotropin releasing hormone, (TRH), 649
timolol ester prodrugs, 728
tissue binding, imirestat, 112
tissue concentration profile, mitomycin C, 168
tissue plasminogen activator, pharmacokinetics, 1351
tobramycin, polymorphism, 1159
tobramycin, solid state, 1159
transcellular transport, 210
transdermal delivery, nicotine, 385
transdermal drug delivery, amino acids, 1113
transdermal drug delivery, nitroglycerin, 744
transdermal drug delivery, tripeptides, 1121
transepithelial impedance, colon, 1365
transepithelial transport enhancement, 498
transplantation, renal, 278
transport index, 210
transport peptides, 1345
transport, baclofen, 259
transport, carrier mediated, 298
transporter, peptides, 593
triglyceride, suppositories, 945
trypsin, insulin degradation, 721

tubulin inhibitor, 776

ultrasound, absorption nicotinate esters, 204
unit spray, content uniformity, 658
unstirred water layer, Caco-2 transport, 222
urease, water adsorption isotherms, 191
uremic blood, 415

valepotriates, INEPT NMR, 1094
valerian, 1094
validation, analytical, 421
validation, bioanalytical methods, 421
valmane, structure elucidation, 1094
valproic ester, prodrugs, 750
vasoldilator, SNAP, 1329
vasopressin, intestinal passage, 1274
vasopressin, nasal absorption, 471, 1175
vinea alkaloid, conjugate, 1264
viscosity gels, 1401
viscosity, hydrocolloids, 505
viscosity, propranolol, 1408
vitamin E raw materials, 763
volume of distribution at steady state, 254

water activity, solid dosage forms, 292
water adsorption and desorption, biologically active protein, 191
water transport, cellulose acetate, 698
water vapor sorption, 148
waxes, ibuprofen, 1377
wetting, steroids, 1461

zofenopril calcium hydrolysis, 370
zofenopril calcium, gut, liver, 370
zofenopril, prodrug, 370
zopolrestat, pharmacokinetics, 1511